



adaptiv*mini*



Adaptiv Mini Fitting & User Guide

ADVM-FD1

Ford with Sync3 8" Touchscreen

WWW.ADAPTIV-MULTIMEDIA.COM

Adaptiv Mini

Adaptiv Mini allows HDMI & Camera input to the OEM screen.



HDMI INPUT



**FRONT & REAR
CAMERA**

This plug and play Mini interface adds HDMI to connect your Apple or Android device, allowing you to mirror your smartphone display on the vehicle's original screen. Inputs for front and rear aftermarket cameras also come as standard with the Mini.

Application

For Ford vehicles with Sync3 systems and 8" display (dash embedded-style).

Note: Not for vehicles with newer Sync3.2 systems or tablet-style displays. Please see Part Number ADVM-FD2.

Kit Includes

Adaptiv Interface Vehicle Harness


Prior to installation

Read the manual prior to installation. Technical knowledge is necessary for installation. The place of installation must be free of moisture and away from heat sources. Connects2 cannot be held responsible for the installation of this product.


Technical Support

Connects2 want to provide a fast and suitable resolution should you encounter any technical issues. With this in mind, when contacting Connects2, try to provide as much Information as possible. This will speed up the process and help us to help you.


Please use our dedicated online technical support centre: support.connects2.com




DIP SWITCH SETTINGS




DIP 1
If the vehicle has OEM reverse camera
(ON: YES OFF: NO)



DIP 3
If the vehicle has after-market reverse camera
(ON: YES OFF: NO)



DIP 2
If the vehicle has after-market front camera
(ON: YES OFF:NO)




DIP 4
OFF
DIP 5
OFF

Button Configuration




Button 1 - Left arrow (steering wheel)
or SOUND button on OEM head unit

Button 2 - Right arrow (steering wheel)



HDMI Access

Connect the USB dongle supplied to the Sync USB input**. Select USB source from the OEM menu sources. The dongle will appear as 'USB AUX'. Hold **BUTTON 1** for 2 seconds to switch between OEM screen and Adaptiv Mini HDMI screen




Video In Motion Warning - 10 MPH

Hold **BUTTON 2** (or press top right corner of touch screen) to disable the video in motion warning message

Rear and Front Camera Access

From either HDMI mode or OEM mode

1. Select reverse gear for reverse camera
2. Deselect reverse gear - will go to after market front camera (if DIP 2 ON)
Press top right corner of screen to cancel front camera or drive over 10 MPH



Front Camera Access

Hold **BUTTON 2** for 2 seconds to enter the front camera screen (if DIP 2 is ON) or double press **SOUND** button on OEM head unit.

View Version Number

Hold **BUTTON 1** Button for 8 seconds to enter firmware information screen

**Note that there may be a slight delay in HDMI audio lip sync , due to the USB audio buffer time of the OEM system. This is dependant on manufacturer original equipment specification.